

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** UZIN KE 49 HT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
 SU19 Building and construction work
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 SU21 Consumer uses: Private households / general public / consumers
- **Product category** PC1 Adhesives, sealants
- **Application of the substance / the mixture** High Temperature Adhesive
- **Uses advised against:** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Uzin Utz Nederland B.V.
 Bouwstraat 18
 NL - 7483 PA Haaksbergen
 Phone: +31 53 573 73 73
 Fax: +31 53 573 73 33

 Supplier in the UK:
 Uzin Utz UK Ltd.
 Unit 2, Mitchell Court
 Central Park, Rugby
 Warwickshire, CV23 0UY
 Phone: +44 1788 530 080
 Fax: +44 1788 536 508
 Email uzin.uk@uzin-utz.com
- **Further information obtainable from:**
 Department QESH (Quality, Environment, Safety and Health)
 Email: uzin.nl@uzin-utz.com
 Phone: +31 53 573 73 73
- **1.4 Emergency telephone number:**
 Medical emergencies (GIZ-Nord Poisons Center): +49 551 19240
 Transportation emergencies: +49 621 60 43 333

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
 The product is not classified, according to the GB CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
 EUH208 Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- **2.3 Other hazards**
- **PBT:**
 This substance/mixture does not contain any components that can be considered persistent, bioaccumulative and toxic (PBT).

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 1)

· **vPvB:**

This substance/mixture does not contain any components that can be considered very persistent and very bioaccumulative (vPvB) at levels of 0.1%.

· **Determination of endocrine-disrupting properties**

This substance/mixture does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Dispersion. Low solvent content.

· **Dangerous components:**

CAS: 124-17-4 EINECS: 204-685-9 Reg.nr.: 01-2119475110-51	2-(2-butoxyethoxy)ethyl acetate Eye Irrit. 2, H319	1-<3%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	1-2%
CAS: 55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: $C \geq 0.6\%$ Skin Irrit. 2; H315: $0.06\% \leq C < 0.6\%$ Eye Dam. 1; H318: $C \geq 0.6\%$ Eye Irrit. 2; H319: $0.06\% \leq C < 0.6\%$ Skin Sens. 1A; H317: $C \geq 0.0015\%$	<0.0015%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Keep container tightly sealed.
Protect from frost.
Carefully close opened containers and store upright to prevent any leakage.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm
	Long-term value: 67.5 mg/m ³ , 10 ppm

- **DNELs**

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL	6.25 mg/kg / bw/day (human/consumer)
Inhalative	DNEL - acut effect	101.2 mg/mg ³ (worker)
	DNEL - longtime effect	67.5 mg/m ³ (worker)

- **PNECs**

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

PNEC - seawater	110 µg/l (seawater)
PNEC - freshwater	1,100 µg/l (freshwater)

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 3)

- Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required
 - **Hand protection** Not mandatory. In case of sensitive skin wear light protective gloves.
 - **Material of gloves** PVC or PE gloves (EN 374)
 - **Penetration time of glove material** Not applicable.
 - **Eye/face protection**



Safety glasses (EN 166)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- **General Information**
- **Physical state** Liquid
- **Colour:** Blue
- **Odour:** Light
- **Odour threshold:** Not determined
- **Melting point/freezing point:** Undetermined
- **Boiling point or initial boiling point and boiling range** Undetermined
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** Not determined
- **Upper:** Not determined
- **Flash point:** >100 °C
- **Decomposition temperature:** Not determined
- **pH at 20 °C** 7
- **Viscosity:**
- **Kinematic viscosity** Not determined
- **Dynamic at 20 °C:** 25,000 mPas
- **Solubility**
- **water:** Dispersible.
- **Partition coefficient n-octanol/water (log value)** Not determined
- **Vapour pressure:** Not determined
- **Density and/or relative density**
- **Density at 20 °C:** 1.3 g/cm³
- **Relative density** Not determined
- **Vapour density** Not determined

· 9.2 Other information

- **Appearance:**
- **Form:** Pasty
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Change in condition**
- **Evaporation rate** Not determined

· Information with regard to physical hazard classes

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 4)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 124-17-4 2-(2-butoxyethoxy)ethyl acetate

Oral	LD50	6,500 mg/kg (rat)
Dermal	LD50	14,500 mg/kg (rabbit)

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	4,000 mg/kg (rabbit)

CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Oral	LD50	64 mg/kg (rat)
Dermal	LD50	87 mg/kg (rat)
Inhalative	LC50/4 h	0.17 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 5)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

EC50/48h >100 mg/l (Daphnia magna)

LC50/96h 1,300 mg/l (fish) (OECD 203)

CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

EC50/48h 0.16 mg/l (Daphnia magna)

LC50/96h 0.22 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

This substance/mixture does not contain any components that can be considered persistent, bioaccumulative and toxic (PBT).

vPvB:

This substance/mixture does not contain any components that can be considered very persistent and very bioaccumulative (vPvB) at levels of 0.1%.

12.6 Endocrine disrupting properties

This substance/mixture does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Do not allow product to reach sewage system.

Let product residues harden in open container, then dispose of as construction waste.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 6)

· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H301 Toxic if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 04.02.2026

Version No. 4

Revision: 04.02.2026

Trade name: UZIN KE 49 HT

(Contd. of page 7)

*EUH071 Corrosive to the respiratory tract.***· Classification according to Regulation (EC) No 1272/2008***The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.***· Contact:***Departement QESH (Quality, Environment, Safety and Health)**Email: uzin.nl@uzin-utz.com**Tel.: +31 53 573 73 73***· Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organisation**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (UK REACH)**PNEC: Predicted No-Effect Concentration (UK REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 3: Acute toxicity – Category 3**Acute Tox. 2: Acute toxicity – Category 2**Skin Corr. 1C: Skin corrosion/irritation – Category 1C**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1A: Skin sensitisation – Category 1A**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1***· * Data compared to the previous version altered.**

GB